

H g5δ b M 2 g"(- Ø 5 • b S u b! Ō6ē M 2 /æ*(b6ä\$†

Development of Online Hot Profile Gauge for Accurate Dimension of Hot-Rolling H-shapes

"& £ §4{(Niro Katayama) '0 ɿ •((Yoshinori Anabuki) .(• R §(Youji Fujimoto)

O[" :

S4 l q \ K Z f € S •8 ö+ † w M • H g5δ c>*3Æ °>* § - - b Ņ ±>*• d í c d ¥ «
° b * ö b S u b ¥ 2 M i>*9x M 2(- Ø 1 ^] _ P M •½ i - @ 1 8] 10 5r È å
5r d b ± g d [c>* } ? }(- Z í , ' _ 8 S • d&i b0[d _ œ å Ü - å M 20£ †'
\$x __ ° K Z >*9x 2A ^ H g5δ b ó j)% † #' K Z A S Ö G >* 2A4 ~3, s V [5 0[
^(' Ø ½ Å i § Ÿ } µ b <8 [>* } p b H g5δ “•8 b M 2 í g"g †>*2 X í ²
6x _ û W Z Ü " Ÿ ± - Ö _ M •>F g5δ! Ō6ē M 2 /æ*(†6ä\$† í #Ý i K S G b! Ō
6ē M 20£ [c>*9x í È M 2(V † [A • ,6ä\$† b2n ° 2 - P i "2¥7³0£ †#Ý 8
S œ) • 2 b N#. _ ö Y 8 Z H g5δ b0 7§ ^ g"g † K Z 8 • → Ç Ü å a4Š †", 'g b
C Ç p i Ö S4 / [V t µ S [è 4Š b ó ö i TM8— ö †& - K Z 8 •

Synopsis :

Customer demands have recently risen sharply for highly -dimensionally -accurate H -shape steel products (H -shapes), which have excellent cross -sectional performance as structural material, in order to reduce construction costs. The H -shape mill at Mizushima Works of Kawasaki Steel, has positively installed online profile gauges at every important points of the processes at rolling, finishing and delivery sections, for achieving a stable production of high -quality H -shapes. A newly developed online hot profile gauge, which can measure the accurate cross -sectional profile and dimension of H -

• e c b i t a ? } 7 0 t [A r M

H形鋼の寸法形状精度改善のための

川崎製鉄技報

30 (1998) 4, 222-226

for Accurate Dimension of H-Steel Dimensions

要目

構造材料として優れた断面性能を有するH形鋼は、近年、サイ




Fig. 2 Layout of continuous on-line measurement devices for H-shapes






Fig. 3 Measurement items of laser profile gauge

2 開発の目的と仕様

2.1 外法一定 H 形鋼の特徴と製造方法

Table 1 Specifications of measurement accuracy (2σ)

| Items | Specifications (mm) |
|-------|---------------------|
|-------|---------------------|



6.9.1 フラット材部材寸法測定装置の開発

6 結 言

構を考案した。この機構のために、多サイズ・多バスの H 形

柱延中の H 形鋼断面の寸法および形状を、全数・全長に渡ってリアルタイムに測定可能な H 形鋼熱間寸法測定装置を開発した。

(3) 形状が複雑で測定部位が多く、かつサイズ範囲も広い H 形

鋼に対し、形状全データを測定した後に必要寸法をリアルタイ