

1\(# A† †'0 w0w A•x ™†á q)f,,sE ay ,,""\$ &q ,,""\$Á g ( „0)2 D€xC ...T”H P’hUID,lc&ÈUIDfD x“!4HB X! g (B X, !&



JFE

\* & % # / , 5 - .

JAPAN

YSLIA

HILIPPINES

+OREA

S 2EPUBLIC OF #HINA

PUBLIC OF #HINA





ED WITHIN THIS PUBLICATION THE USE OF THE INFORMATION IS AT  
RESPECT TO THE USE OF INFORMATION CONTAINED HEREIN  
TICE 0LEASE CONTACT THE \*% 3TEEL OFFICE FOR THE LATEST INFORMATION

E Steel Corp

LHG"Eqnw o p"rtqfwevu"kpewfg"LHG"Eqnw o p/"GT."LHG"Eqnw o p"DET."cpf"LHG"Eqnw o p/"DER)  
;76 4`]f^\_ 6C"ku



- 3]Rde Wfc\_RTV Ī Ū·\`à[àæ |[a0 ä|@a0 â\æ |^à[ bā`à[-âi] â[à ä^â[ââæ &[| b ^à ~| {D â\æ ^|`  
 `iâ] ~ -] `i|c\ &[| b ^à ~|çâ[â]É Ū^â â|@â -] `i|\àæ0 â\æ |[â -] [àæ!ââæ â\æ bāi`âæ ~|  
 {[|æ!ââ {-â -||\É
- 3RdZT @i jXV\_ 7fc\_RTV Ī Š`çâà\ -] `i|c\ -\`|^à b|ā`à\ {-â -||\`| [âb|•â -\{|[-â]D  
 [âÉ]!ā`-â -\ ]`ââi |& ^à ]{ââ-âæ ä|b{|}~·|\É
- 4`\_eZ\_f`fd 4RdeZ\_X >RTYZ\_V Ī R|ā`à\ ]`ââi·] ä|\`·\|:|:|ç ]|â-â-âæ æ-[ââ`ç -\`| ]âiâ´É













Blank lined writing area consisting of 20 horizontal purple lines.




Ê œ • Õ “ ~ ‡ \*


\* Àœ`ÕvìÊ Ê œ•Õ“~Ê \*Ê^ÃÊ“>ÊÕvÊvVvÀiÊÜ^ì...Êì...iÊÊi>~`>À  
-«iV^v^V>ì^œ~ÕvÊ/...iÊ œ«Ê>Ê`Ê-ìii•Ê i`iÀ>ì^œ~°

\* Àce`ÕviÊ  
- «iV^v^V>i^œ~Ã


• ^wiÀ~viÃÊLiÜii~Ê \*ÎÓxÊ>~`Ê \*ÎÓx/



NER TOUGHNESS



OR  
EXECUTION OF  
WELDING  
ECUTION



ING (!:



AILABE  
RANGE APPLCABLE  
KNESS ) •`Èà) ,@„P 0„•„p à€ „Đ„P..



RMED

